

**QN0603X104F3950FB**

R25=100kΩ±1%， B25/50=3950±1%， B25/85=4010

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-40	3,084.269	3,225.545	3,372.955	4.57%	0.67
-39	2,892.785	3,023.332	3,159.454	4.50%	0.66
-38	2,714.318	2,834.987	2,960.724	4.44%	0.66
-37	2,547.912	2,659.483	2,775.662	4.37%	0.65
-36	2,392.685	2,495.874	2,603.252	4.30%	0.65
-35	2,247.826	2,343.289	2,442.561	4.24%	0.64
-34	2,112.585	2,200.924	2,292.728	4.17%	0.64
-33	1,986.272	2,068.041	2,152.960	4.11%	0.63
-32	1,868.248	1,943.955	2,022.527	4.04%	0.63
-31	1,757.924	1,828.036	1,900.755	3.98%	0.62
-30	1,654.757	1,719.704	1,787.021	3.91%	0.62
-29	1,558.243	1,618.419	1,680.751	3.85%	0.61
-28	1,467.918	1,523.686	1,581.415	3.79%	0.61
-27	1,383.351	1,435.046	1,488.524	3.73%	0.60
-26	1,304.144	1,352.073	1,401.624	3.66%	0.59
-25	1,229.928	1,274.376	1,320.298	3.60%	0.59
-24	1,160.363	1,201.590	1,244.157	3.54%	0.58
-23	1,095.132	1,133.379	1,172.844	3.48%	0.58
-22	1,033.942	1,069.430	1,106.026	3.42%	0.57
-21	976.520	1,009.455	1,043.396	3.36%	0.57
-20	922.616	953.185	984.670	3.30%	0.56
-19	871.994	900.373	929.583	3.24%	0.55
-18	824.437	850.787	877.890	3.19%	0.55
-17	779.744	804.212	829.365	3.13%	0.54
-16	737.728	760.451	783.797	3.07%	0.54
-15	698.212	719.319	740.990	3.01%	0.53
-14	661.037	680.643	700.761	2.96%	0.52

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
-13	626.050	644.265	662.943	2.90%	0.52
-12	593.112	610.035	627.379	2.84%	0.51
-11	562.091	577.816	593.921	2.79%	0.50
-10	532.867	547.478	562.435	2.73%	0.50
-9	505.325	518.903	532.793	2.68%	0.49
-8	479.360	491.979	504.879	2.62%	0.48
-7	454.874	466.601	478.582	2.57%	0.48
-6	431.775	442.674	453.801	2.51%	0.47
-5	409.977	420.105	430.441	2.46%	0.46
-4	389.400	398.813	408.412	2.41%	0.46
-3	369.970	378.717	387.631	2.35%	0.45
-2	351.616	359.744	368.023	2.30%	0.44
-1	334.274	341.826	349.514	2.25%	0.43
0	317.882	324.899	332.037	2.20%	0.43
1	302.384	308.903	315.530	2.15%	0.42
2	287.726	293.781	299.934	2.09%	0.41
3	273.859	279.483	285.193	2.04%	0.41
4	260.735	265.958	271.258	1.99%	0.40
5	248.312	253.161	258.078	1.94%	0.39
6	236.548	241.049	245.611	1.89%	0.38
7	225.405	229.582	233.813	1.84%	0.38
8	214.847	218.722	222.645	1.79%	0.37
9	204.841	208.435	212.071	1.74%	0.36
10	195.354	198.687	202.056	1.70%	0.35
11	186.358	189.447	192.568	1.65%	0.34
12	177.824	180.686	183.576	1.60%	0.34
13	169.727	172.377	175.052	1.55%	0.33
14	162.041	164.495	166.969	1.50%	0.32
15	154.745	157.015	159.302	1.46%	0.31
16	147.816	149.914	152.028	1.41%	0.30

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
17	141.233	143.173	145.124	1.36%	0.30
18	134.979	136.770	138.571	1.32%	0.29
19	129.035	130.688	132.348	1.27%	0.28
20	123.384	124.908	126.437	1.22%	0.27
21	118.010	119.413	120.822	1.18%	0.26
22	112.898	114.190	115.485	1.13%	0.25
23	108.035	109.222	110.412	1.09%	0.25
24	103.406	104.497	105.588	1.04%	0.24
25	99.000	100.000	101.000	1.00%	0.23
26	94.722	95.720	96.720	1.04%	0.24
27	90.650	91.646	92.643	1.09%	0.25
28	86.775	87.766	88.760	1.13%	0.26
29	83.086	84.071	85.059	1.18%	0.27
30	79.572	80.550	81.532	1.22%	0.29
31	76.225	77.195	78.169	1.26%	0.30
32	73.036	73.997	74.962	1.30%	0.31
33	69.997	70.947	71.903	1.35%	0.32
34	67.100	68.039	68.985	1.39%	0.33
35	64.337	65.265	66.200	1.43%	0.35
36	61.703	62.618	63.541	1.47%	0.36
37	59.189	60.092	61.003	1.52%	0.37
38	56.791	57.681	58.579	1.56%	0.38
39	54.502	55.379	56.264	1.60%	0.40
40	52.317	53.180	54.052	1.64%	0.41
41	50.230	51.080	51.938	1.68%	0.42
42	48.237	49.073	49.918	1.72%	0.43
43	46.334	47.155	47.986	1.76%	0.45
44	44.515	45.321	46.138	1.80%	0.46
45	42.776	43.569	44.371	1.84%	0.47
46	41.114	41.892	42.681	1.88%	0.49

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
47	39.525	40.289	41.063	1.92%	0.50
48	38.005	38.755	39.515	1.96%	0.51
49	36.551	37.286	38.033	2.00%	0.53
50	35.160	35.881	36.613	2.04%	0.54
51	33.829	34.536	35.254	2.08%	0.55
52	32.555	33.248	33.952	2.12%	0.57
53	31.335	32.014	32.704	2.16%	0.58
54	30.166	30.832	31.508	2.20%	0.59
55	29.047	29.699	30.362	2.23%	0.61
56	27.975	28.614	29.264	2.27%	0.62
57	26.948	27.573	28.210	2.31%	0.64
58	25.963	26.576	27.199	2.35%	0.65
59	25.020	25.619	26.230	2.38%	0.66
60	24.115	24.701	25.300	2.42%	0.68
61	23.247	23.821	24.407	2.46%	0.69
62	22.415	22.976	23.550	2.50%	0.71
63	21.616	22.166	22.727	2.53%	0.72
64	20.850	21.388	21.937	2.57%	0.73
65	20.114	20.641	21.179	2.61%	0.75
66	19.408	19.923	20.450	2.64%	0.76
67	18.731	19.234	19.749	2.68%	0.78
68	18.080	18.572	19.076	2.71%	0.79
69	17.454	17.936	18.430	2.75%	0.81
70	16.854	17.325	17.808	2.79%	0.82
71	16.277	16.738	17.210	2.82%	0.84
72	15.722	16.173	16.635	2.86%	0.85
73	15.189	15.630	16.082	2.89%	0.87
74	14.676	15.108	15.550	2.93%	0.88
75	14.184	14.605	15.038	2.96%	0.90
76	13.710	14.122	14.545	3.00%	0.91

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
77	13.254	13.657	14.071	3.03%	0.93
78	12.815	13.209	13.614	3.07%	0.95
79	12.393	12.779	13.175	3.10%	0.96
80	11.987	12.364	12.751	3.13%	0.98
81	11.596	11.965	12.344	3.17%	0.99
82	11.220	11.580	11.951	3.20%	1.01
83	10.857	11.210	11.572	3.23%	1.02
84	10.508	10.853	11.207	3.27%	1.04
85	10.172	10.509	10.856	3.30%	1.06
86	9.848	10.177	10.517	3.33%	1.07
87	9.536	9.858	10.190	3.37%	1.09
88	9.235	9.550	9.875	3.40%	1.10
89	8.945	9.253	9.571	3.43%	1.12
90	8.666	8.967	9.277	3.47%	1.14
91	8.396	8.691	8.995	3.50%	1.15
92	8.136	8.424	8.722	3.53%	1.17
93	7.885	8.167	8.458	3.56%	1.19
94	7.644	7.919	8.204	3.59%	1.20
95	7.410	7.680	7.958	3.63%	1.22
96	7.185	7.449	7.721	3.66%	1.24
97	6.968	7.226	7.492	3.69%	1.25
98	6.758	7.010	7.271	3.72%	1.27
99	6.556	6.802	7.057	3.75%	1.29
100	6.360	6.601	6.851	3.78%	1.31
101	6.171	6.407	6.652	3.81%	1.32
102	5.989	6.220	6.459	3.84%	1.34
103	5.813	6.039	6.273	3.88%	1.36
104	5.643	5.864	6.093	3.91%	1.38
105	5.478	5.694	5.918	3.94%	1.39
106	5.319	5.531	5.750	3.97%	1.41

温度 Temp. (°C)	R 最小值 R_Min (Kohm)	R 中心值 R_Cent (Kohm)	R 最大值 R_Max (Kohm)	阻值公差 Res TOL.	温度公差 Temp. TOL.(°C)
107	5.166	5.373	5.587	4.00%	1.43
108	5.017	5.220	5.430	4.03%	1.45
109	4.873	5.072	5.277	4.06%	1.46
110	4.735	4.929	5.130	4.09%	1.48
111	4.600	4.790	4.987	4.12%	1.50
112	4.470	4.656	4.849	4.15%	1.52
113	4.345	4.527	4.716	4.18%	1.54
114	4.223	4.401	4.586	4.20%	1.56
115	4.105	4.280	4.461	4.23%	1.57
116	3.992	4.162	4.340	4.26%	1.59
117	3.881	4.048	4.222	4.29%	1.61
118	3.775	3.938	4.108	4.32%	1.63
119	3.671	3.831	3.998	4.35%	1.65
120	3.571	3.728	3.891	4.38%	1.67
121	3.474	3.628	3.788	4.41%	1.69
122	3.381	3.531	3.687	4.43%	1.70
123	3.290	3.437	3.590	4.46%	1.72
124	3.202	3.346	3.496	4.49%	1.74
125	3.116	3.257	3.405	4.52%	1.76